Fujitsu recommends Windows[®] 7.

Data Sheet Fujitsu LIFEBOOK A532 Notebook

Your Essential Partner

If you are looking for a solid and reliable all-round notebook the Fujitsu LIFEBOOK A532 is the right solution. With its high-definition 39.6 cm (15.6-inch) outdoor-friendly anti-glare LCD display working is very convenient. Thanks to integrated WLAN, Bluetooth[®] and optionally embedded 3G/UMTS you can work anytime and anywhere.

High performance computing

Experience the smart family of Intel[®] Core[™] processors that deliver performance that adapts to your needs, making laptops faster and more responsive.

■ Up to 3rd generation Intel[®] Core[™] processors and latest Intel[®] mobile platform

Highest connectivity - anywhere, anytime

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

Integrated WLAN and Bluetooth[®], optional embedded 3G/UMTS, HD webcam, and digital microphone

Ease-of-use

Comfortable and ergonomic working in every situation even for the most demanding of users.

Anti-glare and therefore outdoor-friendly display, Anytime USB Charge functionality to charge telephone and media devices even when the system is switched off, on/off switchable HD webcam with status LED, isolated spill-resistant keyboard with full num pad









intel)

FUJITSU

Components

Processor	Intel® Pentium® processor B960 (2.2 GHz, 2 MB)
	Intel® Core™ i7-3612QM processor (2.1 GHz, up to 3.1 GHz, 6 MB) *
	Intel [®] Core™ i5-3210M processor (2.5 GHz, up to 3.1 GHz, 3 MB) *
	Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) *
	Intel [®] Core™ i3-3110M processor (2.4 GHz, 3 MB) *
	Intel [®] Core™ i3-2370M processor (2.4 GHz, 3 MB) *
	Intel [®] Core™ i3-2350M processor (2.3 GHz, 3 MB) *
	*Processor only for retail, SMB, education and government
perating systems	
Operating system	Windows® 7 Professional 64-bit
	Windows® 7 Home Premium 64-bit
	Windows® 7 Home Basic (EM) 64-bit
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	LIFEBOOK A532 Anti-Glare
upported capacity RAM (min.)	2 GB
supported capacity RAM (max.)	16 GB
Nemory slots total	2
Nemory slot type	SO DIMM (DDR3, 1600 MHz)
Nemory notes	DDR3 1600 MHz will be clocked with 1333 MHz in combination with 2nd generation Intel® CPU.
lard disk drives (internal)	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
lard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software.
Vireless technologies	
Bluetooth	v4.0 + EDR
ntegrated WLAN	Intel® Centrino® Wireless N2230 (IEEE 802.11b/g/n)
ntegrated UMTS/HSUPA	UMTS ready
G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
Optical drive options	Blu-ray Disc™ Triple Writer
	DVD Super Multi
Base unit	LIFEBOOK A532 Anti-Glare
ieneral system information	
hipset	Intel® HM76
Product design	
olor	Black/silver
Naterial	Matt
Display	
Display	39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd
coact catio	16:9
Aspect ratio	10.5

Diselau	
Display Contrast - typical	300:1 (min)
Graphics	
Max. resolution external display	1920 x 1200 pixel
Graphics brand name	Intel® HD Graphics 3000 or 4000 (depending on CPU)
Graphics features	DirectX® 10 or 11 support (depending on CPU)
Graphics notes	Shared memory depending on main memory size
Shared video memory	up to 1695 MB
Interfaces	
Memory card slots	1 x 4in1 Card Reader (SD/SDHC/MS/MS Pro)
ExpressCard slots	1 (34 mm)
USB 3.0 total	3 (1 x Anytime USB Charge functionality)
USB 2.0 total	1
VGA	1
HDMI	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Kensington Lock support	1
Wired communication	
LAN	10/100/1000 MBit/s Realtek RTL 8111F
Keyboard and pointing devices	
····,······,····,····,····,····	Spill-resistant isolated keyboard with number block
	Number of keyboard keys: 106, Keyboard pitch: 18.4 mm, Keyboard stroke: 2.0 mm
	Touchpad
	Status LED
Multimedia	
Multimedia Audio type	On board
Audio type	On board Realtek ALC269 VC2 HD
Audio type Audio codec	Realtek ALC269 VC2 HD
Audio type	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived
Audio type Audio codec	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function
Audio type Audio codec Audio features	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved.
Audio type Audio codec Audio features Audio notes	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights
Audio type Audio codec Audio features Audio notes Camera Power supply	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD
Audio type Audio codec Audio features Audio notes Camera Power supply AC adapter	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A)
Audio type Audio codec Audio features Audio notes Camera Power supply AC adapter Rated voltage range	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input)
Audio type Audio codec Audio features Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz
Audio type Audio codec Audio features Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range 1st battery	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-Ion battery 6-cell, 4400 mAh, 48 Wh
Audio type Audio codec Audio features Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range 1st battery Runtime 1st battery	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-Ion battery 6-cell, 4400 mAh, 48 Wh Up to 6:20 h (productivity mode)
Audio type Audio codec Audio features	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-Ion battery 6-cell, 4400 mAh, 48 Wh
Audio type Audio codec Audio features Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range 1st battery Runtime 1st battery	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-Ion battery 6-cell, 4400 mAh, 48 Wh Up to 6:20 h (productivity mode) Battery life may vary depending on product model, configuration, applications, power management settings and
Audio type Audio codec Audio features Audio notes Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range 1st battery Runtime 1st battery Battery notes	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-Ion battery 6-cell, 4400 mAh, 48 Wh Up to 6:20 h (productivity mode) Battery life may vary depending on product model, configuration, applications, power management settings and
Audio type Audio codec Audio features Audio notes Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range 1st battery Runtime 1st battery Battery notes Dimensions / Weight / Environmental	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost [™] - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-Ion battery 6-cell, 4400 mAh, 48 Wh Up to 6:20 h (productivity mode) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio type Audio codec Audio features Audio notes Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range 1st battery Runtime 1st battery Battery notes Dimensions / Weight / Environmental Dimensions (W × D × H) Weight	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-lon battery 6-cell, 4400 mAh, 48 Wh Up to 6:20 h (productivity mode) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. 378 x 252 x 34.2 mm 2.4 kg
Audio type Audio codec Audio features Audio notes Camera Power supply AC adapter Rated voltage range Rated frequency range 1st battery Runtime 1st battery Battery notes Dimensions / Weight / Environmental Dimensions (W x D x H)	Realtek ALC269 VC2 HD Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9) Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved. Built-in webcam, HD 20 V / 65 W (3.25 A) 100 V - 240 V (AC Input) 50 Hz - 60 Hz Li-lon battery 6-cell, 4400 mAh, 48 Wh Up to 6:20 h (productivity mode) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. 378 x 252 x 34.2 mm

Additional Software	
Additional software (preinstalled)	Adobe® Reader®
	CyberLink YouCam
	EasyGuide online user documentation
	Nero Essentials S (burning software)
	Norton Internet Security (incl. Firewall) 60 days version
	Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®
	Buy Office 2010 to use the full-featured software.
Additional software (included as a CD/	Drivers & Utilities DVD (DUDVD)
DVD)	
Security	
System protection	Kensington Lock support
Audit proof protection	Computrace [®] ready BIOS
Access protection	User and supervisor BIOS password
	Hard disk password
Compliance	
Model	Fujitsu LIFEBOOK A532
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Warranty	
Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements) (depending on country)
Maintenance and Support Services - the	
Recommended Service	3 years Collect & Return Service
Spare Parts availability	3 years
• •	· · · ·

http://www.fujitsu.com/fts/services/support

Recommended Accessories

Wireless Keyboard Set LX400

Service Weblink



The Wireless Keyboard Set LX400 is an excellent desktop solution for users with ambition. This durable keyboard set is equipped with secure 2.4 GHz country code) technology and AES 128-bit encryption. The elegant mouse works on nearly any surface due to its ultra-precise laser sensor. It offers fabulous features and security in a slim, portable design.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK A532, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK A532, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-07-25 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions